




















































Extremadura44 ISO















Pos	Specification-Spezifikation-Specificatie	St.	Profile (mm)	Length (mm)				
001		4	44x68	3088				
002		1	44x68	5442				
003		65	44x135	3088				
004		9	44x135	244				
005		3	44x135	244				
006		2	44x135	5442				
007		1	44x135	5442				
008		2	44x135	3088				
009		30	44x135	865				
010		2	44x135	3088				
011		2	44x135	3288				
012		16	44x135	2966				
013		2	44x135	4708				
014		2	44x135	3088				
015		1	44x135	4464				
016		1	44x135	3288				
017		1	44x135	4464				
018		1	44x135	3288				
019		1	44x68	880				
020		1	44x68	3117				
021		22	44x135	880				
022		8	44x135	3117				
023		7	44x135	880				
Kood		Materjal		File	Extremadura44 ISO.dwg		Leht	1/6

Pos	Specification-Spezifikation-Specificatie	St.	Profile (mm)	Length (mm)				
024		4	44x135	4952				
025		1	44x130	4952				
026		1	44x135	3088				
027		1	44x135	600				
028		2	44x135	3166				
029		1	44x135	4708				
030		1	44x57	3166				
031		1	44x57	4708				
032		1	44x57	3166				
033		1	44x106	3088				
034		1	44x134	3088				
035		2	44x68	2966				
036		1	44x68	4708				
037		8	44x135	5370				
038		4	44x135	5370				
039		8	44x135	4708				
040		1	44x135	2966				
041		3	44x135	3147				
042		3	44x135	743				
043		1	44x135	5370				
044		1	44x135	5570				
045		1	44x135	5570				
046		5	44x135	3166				
Kood		Materjal		File	Extremadura44 ISO.dwg		Leht	2/6


Pos	Specification-Spezifikation-Specificatie	St.	Profile (mm)	Length (mm)				
047		6	44x135	4784				
048		5	44x135	5916				
049		5	44x135	2034				
050		7	44x135	3860				
051		3	44x135	2730				
052		4	44x135	1390				
053		4	44x135	820				
060		30	44x135	2244				
061		15	44x135	210				
062		15	44x135	576				
063		30	44x135	745				
064		1	44x135	3288				
065		1	44x135	2156				
066		1	44x135	3166				
071		1	44x68	244				
072		15	44x135	3290				
073		1	44x135	2122				
074		1	44x135	5828				
075		1	44x135	4394				
076		1	44x135	3556				
081		9	44x135	4394				
082		9	44x135	3556				
083		8	44x135	3580				
Kood		Materjal		File	Extremadura44 ISO.dwg		Leht	3/6

Pos	Specification-Spezifikation-Specificatie	St.	Profile (mm)	Length (mm)
084		8	44x135	4470
WA-1		1		
WB-1		1		
WD-1		1		
WE-1		1		
FB7	FOUNDATION BEAM-FUND.BALKEN-FUND.BALK 	2	44x70	4664
FB4	FOUNDATION BEAM-FUND.BALKEN-FUND.BALK 	2	44x70	4228
FB5	FOUNDATION BEAM-FUND.BALKEN-FUND.BALK 	2	44x70	3390
FB1	FOUNDATION BEAM-FUND.BALKEN-FUND.BALK 	2	44x70	3000
FB6	FOUNDATION BEAM-FUND.BALKEN-FUND.BALK 	7	44x70	2888
FB2	FOUNDATION BEAM-FUND.BALKEN-FUND.BALK 	1	44x70	2706
FB8	FOUNDATION BEAM-FUND.BALKEN-FUND.BALK 	1	44x70	2454
FB3	FOUNDATION BEAM-FUND.BALKEN-FUND.BALK 	2	44x70	1868
PR2	Purlin-Dakbalk-Dachpfette 	8	44x144	4852
PR1	Purlin-Dakbalk-Dachpfette 	16	44x144	3238
DP-1	Roof board-Dachbrett-Dakplank 	126+1	88x18	5739
DP-2	Roof board-Dachbrett-Dakplank 	126	88x18	2631
L-1	Eave Board-Traufenblende-Afdekplank 	4	18x120	5538
L-2	Eave Slat-Traufenleiste-Afdeklijst 	4	40x18	5520
Kood	Materjal	File	Extremadura44 ISO.dwg	Leht 4/6


Pos	Specification-Spezifikation-Specificatie		St.	Profile (mm)	Length (mm)
L-3	Facia Board-Giebelblende-Gevelplank		4	18x120	4205
L-4	Facia Slat-Giebelleiste-Gevellijst		4	40x18	4205
HL-1	Handrail-Handlauf-Leuning 70		1	70x18	244
HL-2	Handrail-Handlauf-Leuning 70		1	70x18	2354
SB1	Steel bar-Stahlstange-Stalen staaf		4	Ø14	1010
SB2	Steel bar-Stahlstange-Stalen staaf		2	Ø14	605
SB3	Steel bar-Stahlstange-Stalen staaf		6	Ø14	335
SB4	Steel bar-Stahlstange-Stalen staaf		2	Ø14	285
SB5	Steel bar-Stahlstange-Stalen staaf		6	Ø14	205
TR1	Threaded rod Set-Gewindestange Satz-Draadstang Set		2	M10	715
TR2	Threaded rod Set-Gewindestange Satz-Draadstang Set		2	M10	365
TR3	Threaded rod Set-Gewindestange Satz-Draadstang Set		1	M10	230
	Door Set-Tür Satz-Deur Set		1		
	Inside Door Set-Tür Satz-Deur Set		4		
	Nail-Nagel-Spijker 1.6x30		95	1.6x30	
	WINDOW 1345x900 DW6DK 134.5x90 ISO CREMONE  Window Glazing Bar Fenstersprossen Raamroeden 		6		
	WINDOW 510x510 W4DK 51x51 ISO R CREMONE  Window Glazing Bar Fenstersprossen Raamroeden 		1		
Kood		Materjal	File	Extremadura44 ISO.dwg	Leht 5/6

Pos	Specification-Spezifikation-Specificatie	St.	Profile (mm)	Length (mm)
	DOOR 825x2090 IND 82.5x209 L 	2		
	DOOR 825x2090 IND 82.5x209 R 	2		
	DOOR 945x2052 SD6 94.5x205.2 ISO L  Door Glazing Bar Türsprossen Deurroeden 	1		
Kood	Materjal	File	Extremadura44 ISO.dwg	Leht 6/6


H = 1.600 m
TOTAL: 78.04 m2




Model	Extremadura44	Page	ROOF
Client		Scale	1:50
Material	44x135	Date	13.01.2022
Company	Extremadura44 ISO.dwg		




Model	Extremadura44	Page	9
Client		Scale	1:50
Material	4.4x13.5	Date	13.01.2022
Company	File Extremadura44 ISO.dwg		




Model	Extremadura44	Page	10
Client		Scale	1:50
Material	4.4x13.5	Date	13.01.2022
Company	File Extremadura44 ISO.dwg		




Model	Extremadura44	Page	11
Client		Scale	1:50
Material	4.4x13.5	Date	13.01.2022
Company	File Extremadura44 ISO.dwg		




Model	Extremadura44	Page	12
Client		Scale	1:50
Material	4.4x13.5	Date	13.01.2022
Company	File Extremadura44 ISO.dwg		




Model	Extremadura44	Page	13
Client		Scale	1:50
Material	4.4x13.5	Date	13.01.2022
Company	File Extremadura44 ISO.dwg		




Model	Extremadura44	Page	5
Client		Scale	1:50
Material	4.4x13.5	Date	13.01.2022
Company	File Extremadura44 ISO.dw		








Model	Extremadura44	Page	7
Client		Scale	1:50
Material	4.4x13.5	Date	13.01.2022
Company	File Extremadura44 ISO.dwg		



Model	Extremadura44	Page	ROOF
Client		Scale	1:50
Material	44x135	Date	13.01.2022
Company	File Extremadura44 ISO.dwg		



Model	Extremadura44	Page	FOUNDATION
Client		Scale	1:50
Material	44x135	Date	13.01.2022
Company	File Extremadura44 ISO.dwg		





FR

DSR

GR


HR

SR





ADJUSTABLE HINGES

3.




OPTIONS

1.



TYPE- B
4x60




TYPE- A
5x70

NB!





OPTIONS

4.



FR

The guide is illustrative. This guide is not project specification.
Der Leitfaden ist illustrativ. Dieser Leitfaden ist keine Projektspezifikation.
De gids is illustratief. Deze gids is geen projectspecificatie.



OPTIONS

